
TECHNICAL MANUAL GENERIC SUBSTRATES



 530 476
477 500
681 633
706 553
 FPS
.CO.NZ
FUTURE-PROOF BUILDING

Generic Systems Technical Drawings

Battens/General

10.01.00	Batten Layout (600mm Centres)
10.01.01	Batten Layout (400mm Centres)
10.01.02	Panel Information
10.01.10	Isometric (600 Centers)
10.01.11	Isometric (400 Centers)
10.01.20	Isometric Cross Section

Foundations

10.02.00	Foundation
10.02.01	Foundation with Drain - Option 1
10.02.02	Foundation with Drain - Option 2
10.02.03	Insulated Foundation - Option 1
10.02.04	Insulated Foundation - Option 2
10.02.07	Insulated Foundation - Door Sill
10.02.08	Foundation EPS Block Detail
10.02.10	Recessed Foundation - Option 1
10.02.11	Recessed Foundation - Option 2
10.02.12	Recessed Foundation - Option 3
10.02.13	Recessed Foundation - Option 4
10.02.14	Recessed Foundation - Option 5
10.02.15	Recessed Foundation - Conc Block
10.02.20	Timber Foundation
10.02.40	Sub-Floor Foundation - Option 1
10.02.41	Sub-Floor Foundation - Option 2
10.02.42	Sub-Floor Foundation - Option 3
10.02.43	Sub-Floor Foundation - Option 4
10.02.44	Sub-Floor Foundation - Option 5
10.02.45	Sub-Floor Foundation - Option 6
10.02.46	Sub-Floor Foundation - Option 7
10.02.47	Sub-Floor Foundation - Option 8
10.02.48	Sub-Floor Foundation - Option 9
10.02.50	Concrete Block Foundation
10.02.60	Maxraft Floor System
10.02.70	Post Detail

External Corners

10.03.00	External Corner
10.03.01	External Corner - 45 degrees
10.03.02	External Corner - Rounded
10.03.03	External Corner GIB Firewall
10.03.10	External Corner with Weatherboard - Option 1
10.03.11	External Corner with Weatherboard - Option 2
10.03.12	External Corner with Weatherboard - Option 3
10.03.20	External Corner with Masonry Block - Option 1
10.03.21	External Corner with Masonry Block - Option 2
10.03.22	External Corner with Masonry Block - Option 3
10.03.25	External Corner with Masonry Block Firewall

10.03.30	External Corner with Fibre Cement Sheet
10.03.40	External Corner with Brick Veneer
10.03.50	External Corner with Precast Panel
10.03.60	External Corner with Stone Veneer
10.03.70	External Corner with Vertical Cedar Weatherboards
10.03.75	External Corner with Horizontal Cedar Weatherboards
10.03.80	External Corner with Direct Fixed EIFS
10.03.81	External Corner to EIFS on Cavity
10.03.85	External Corner with Graphex Masonry Overlay
10.03.90	External Corner with Profiled Metal Cladding
10.03.91	External Corner with Vertical Profiled Cladding
10.03.95	External Corner with Aluminium Composite Panel

Internal Corners

10.04.00	Internal Corner
10.04.01	Internal Corner - 135 degrees
10.04.05	Internal Corner (Seismic Joint)
10.04.10	Internal Corner with Weatherboard - Option 1
10.04.11	Internal Corner with Weatherboard - Option 2
10.04.12	Internal Corner with Weatherboard - Option 3
10.04.20	Internal Corner with Masonry Block
10.04.30	Internal Corner with Fibre Cement Sheet
10.04.40	Internal Corner with Brick Veneer - Option 1
10.04.41	Internal Corner with Brick Veneer - Option 2
10.04.50	Internal Corner with Precast Panel
10.04.55	Internal Corner with ICF Eco-Block
10.04.60	Internal Corner with Stone Veneer
10.04.70	Internal Corner with Vertical Cedar Weatherboards
10.04.75	Internal Corner with Horizontal Cedar Weatherboards
10.04.80	Internal Corner to Existing EIFS
10.04.81	Internal Corner to EIFS on Cavity
10.04.85	Internal Corner with Graphex Masonry Overlay
10.04.90	Internal Corner with Profile Metal Cladding
10.04.95	Internal Corner with Aluminium Composite Panel
10.04.96	Internal Corner with Vertical Profiled Metal

Generic Systems Technical Drawings

Sills

10.05.00	Window Sill
10.05.01	Window Sill with Moulding
10.05.05	Window Sill - 20mm Reveal
10.05.10	Timber Window Sill - Option 1
10.05.11	Timber Window Sill - Option 2
10.05.20	Timber EuroTech Window Sill
10.05.30	Window Sill to NK Window
10.05.50	Window Face Fixed Jamb and Sill
10.05.55	Window Sill Comercial Joinery
10.05.60	Door Sill - Option 1
10.05.61	Door Sill - Option 2
10.05.62	Door Sill - Option 3
10.05.65	Door Sill in a Foundation Recess - Option 1
10.05.66	Door Sill in a Foundation Recess - Option 2

Jambs

10.06.00	Window Jamb
10.06.01	Window Jamb with Moulding
10.06.05	Window Jamb - 20mm Reveal
10.06.10	Timber Window Jamb - Option 1
10.06.11	Timber Window Jamb - Option 2
10.06.20	Timber EuroTech Window Jamb
10.06.30	Window Jamb to NK Window
10.06.50	Garage Door Jamb - Option 1
10.06.51	Garage Door Jamb - Option 2
10.06.52	Garage Door Jamb - Option 3
10.06.55	Window Jamb Comercial Joinery
10.06.60	Internal Corner to Window Jamb - Option 1
10.06.61	Internal Corner to Window Jamb - Option 2
10.06.70	Window Jamb midway junction with other cladding
10.06.80	Window Isometric (Wb Above)

Heads

10.07.00	Window Head - Option 1
10.07.01	Window Head - Option 2
10.07.02	Window Head - Option 3
10.07.03	Window Head with Flashing Upstands
10.07.04	Window Head with Moulding - Option 1
10.07.05	Window Head with Moulding - Option 2
10.07.06	Window Head with Timber Moulding
10.07.07	Raking Window Head
10.07.08	Raking Window Head Peak
10.07.10	Timber Window Head - Option 1
10.07.11	Timber Window Head - Option 2
10.07.12	Timber Window Head - Option 3
10.07.20	Timber EuroTech Window Head
10.07.30	Window Head to NK Window
10.07.50	Garage Door Head - Option 1

10.07.51	Garage Door Head - Option 2
10.07.52	Garage Door Head - Option 3
10.07.55	Window Head Comercial Joinery
10.07.60	Window Face Fixed Head
10.07.70	Window Head with Weatherboard Above

Soffits / Fascia

10.08.00	Soffit
10.08.01	Ventilated Soffit
10.08.10	Soffit Edge - Option 1
10.08.11	Soffit Edge - Option 2
10.08.12	Soffit Edge - Option 3
10.08.20	Soffit Edge or Boxed Beam - Option 1
10.08.21	Soffit Edge or Boxed Beam - Option 2
10.08.22	Soffit Edge or Boxed Beam - Option 3
10.08.23	Soffit Edge or Boxed Beam - Option 4
10.08.24	Soffit Edge or Boxed Beam - Option 5
10.08.30	Raking Soffit - Option 1
10.08.31	Raking Soffit - Option 2
10.08.32	Raking Soffit - Option 3
10.08.35	Sloping Soffit
10.08.40	Face Fixed Fascia - Option 1
10.08.41	Face Fixed Fascia - Option 2
10.08.42	Face Fixed Fascia - Option 3
10.08.43	Face Fixed Fascia - Option 4
10.08.44	Face Fixed Fascia - Option 5
10.08.45	Face Fixed Fascia - Option 6
10.08.48	Face Fixed Fascia - Existing Fascia
10.08.49	Face Fixed Fascia - Membrane Roof
10.08.50	Fascia Transition Tray - Corner
10.08.51	Fascia Transition Tray - In Line
10.08.52	Fascia Transition Tray - Corner Isometric
10.08.53	Fascia Transition Tray - In Line Isometric

Roof Apron / Kickout

10.09.00	Roof Apron
10.09.01	Roof Apron - Horizontal
10.09.02	Roof Kickout Diverter
10.09.03	Roof Kickout Diverter with Cover Flashing
10.09.10	Apron to Raking Barge
10.09.15	Raking Apron to Barge - Option 1
10.09.16	Raking Apron to Barge - Option 2

Generic Systems Technical Drawings

Vertical Joints / Junctions

- 10.10.00 Vertical Control Joint - Option 1
- 10.10.01 Vertical Control Joint - Option 2
- 10.10.05 Vertical Control Joint (Fire Break)
- 10.10.10 Vertical Junction
 - with Weatherboard - Option 1
- 10.10.11 Vertical Junction
 - with Weatherboard - Option 2
- 10.10.20 Vertical Junction
 - with Metal Cladding
- 10.10.30 Vertical Junction
 - with Fibre Cement Sheet
- 10.10.35 Vertical Junction
 - with Aluminium Composite Panel
- 10.10.40 Vertical Junction
 - with Concrete Block - Option 1
- 10.10.41 Vertical Junction
 - with Concrete Block - Option 2
- 10.10.50 Vertical Junction with Brick
- 10.10.60 Vertical Junction with Precast Panel
- 10.10.65 Vertical Junction with Stone
- 10.10.70 Vertical Junction with LiteRock
- 10.10.80 Vertical Junction with Existing EIFS
- 10.10.90 Vertical Junction
 - with Vertical Cedar Weatherboards

Horizontal Joints / Junctions

- 10.11.00 Horizontal Control Joint
- 10.11.01 Horizontal Control Joint with Moulding
- 10.11.10 Mid Floor Break
- 10.11.20 Horizontal Drainage Joint - Option 1
- 10.11.21 Horizontal Drainage Joint - Option 2
- 10.11.22 Horizontal Drainage Joint with Moulding
- 10.11.23 Horizontal Drainage Joint (Fire Break)
- 10.11.30 Horizontal Junction
 - with Weatherboard Above - Option 1
- 10.11.31 Horizontal Junction
 - with Weatherboard Above - Option 2
- 10.11.32 Horizontal Junction
 - with Weatherboard Below
- 10.11.40 Horizontal Junction
 - with Concrete Block - Option 1
- 10.11.41 Horizontal Junction
 - with Concrete Block - Option 2
- 10.11.43 Horizontal Junction
 - with Concrete Block - Option 3
- 10.11.50 Horizontal Junction with Brick - Option 1
- 0.11.51 Horizontal Junction with Brick - Option 2
- 10.11.60 Horizontal Junction with Stone - Option 1
- 10.11.61 Horizontal Junction with Stone - Option 2
- 10.11.70 Horizontal Junction
 - with Precast Panel - Option 1
- 10.11.71 Horizontal Junction
 - with Precast Panel - Option 2

- 10.11.80 Horizontal Junction
 - with Fibre Cement Sheet Above
- 10.11.90 Horizontal Junction
 - with Vertical Cedar Above

Penetrations


- 10.12.00 Stringer - Block Penetration
- 10.12.05 Louvre Penetration
- 10.12.10 Meter Box Penetration - Option 1
- 10.12.11 Meter Box Penetration - Option 2
- 10.12.20 Pipe Penetration
- 10.12.21 Fan Vent
- 10.12.22 Tap Fitting Detail
- 10.12.23 Light Fixing Detail
- 10.12.30 Metal Bracket for Beam Penetration
- 10.12.35 Steel Box-Section Penetration
- 10.12.40 Mid-Wall Moulding (capped)
- 10.12.50 Timber Gable Vent
- 10.12.60 Rebate

Parapets / Saddles


- 10.13.00 Metal Parapet Capping - Option 1
- 10.13.01 Metal Parapet Capping - Option 2
- 10.13.10 Maintainable Balustrade - 3D
- 10.13.11 Maintainable Balustrade (inline wall) - 3D
- 10.13.12 Maintainable Balustrade
- 10.13.13 Maintainable Parapet
- 10.13.21 Saddle Flashing
 - (Middle of adjoining wall) - Option 1
- 10.13.22 Saddle Flashing
 - (Middle of adjoining wall) - Option 2
- 10.13.23 Saddle Flashing (Inline Wall)
- 10.13.24 Saddle Flashing
 - (Inline end of adjoining wall)
- 10.13.30 Chimney Breast
- 10.13.40 Roof Detail (Chimney through Roof)

Decks / Gutters


- 10.14.00 Deck Clearance
- 10.14.01 Deck Drainage - Overflow
- 10.14.02 Deck Drainage - Rainwater Head
- 10.14.03 Cantilevered Slatted Deck
- 10.14.04 Non-Cantilevered Slatted Deck
- 10.14.05 Deck Detail above sub-floor
- 10.14.06 Enclosed Deck
- 10.14.10 Hidden Parallel Gutter
- 10.14.11 Hidden Raking Gutter
- 10.14.14 Hidden Gutter with Tile Roof




TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Isometric (600 Centers)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.01.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Isometric (400 Centers)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.01.11



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Isometric Cross Section

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.01.20



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Foundation

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.00



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Foundation with Drain - Option 1


Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Insulated Foundation - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.03



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Insulated Foundation - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.04



Refer RCS
TradeSpec™ Document 1.2 for
information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Insulated Foundation - Door Sill

Scale
1 : 2 @ A4

Date
15 June 2018

Sheet
10.02.07



Refer to NZBC E2/AS1 for information
on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be
reproduced or transmitted other than the intended use by
Resene Construction Systems without written consent from
the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Foundation EPS Block Detail

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.08



Refer to NZBC E2/AS1 for information on Ground Clearances

All claddings that include a drained and vented cavity of nominal 20 mm minimum depth must achieve a minimum ventilation opening of 1000 mm²/m at the foundation in accordance with Paragraph 9.1.8.3 of E2/AS1, eg. a 3mm gap totalling to 333mm every lineal metre, a 5mm gap totalling to 200mm every lineal metre

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Recessed Foundation - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.11



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Recessed Foundation - Option 3

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.12



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Recessed Foundation - Option 4

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.13



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Recessed Foundation - Option 5

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.02.14



Refer to NZBC E2/AS1 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Recessed Foundation - Conc Block

Scale
1 : 2 @ A4

Date
15 June 2018

Sheet
10.02.15



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Timber Foundation

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.20



Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Sub-Floor Foundation - Option 1


Scale
 1 : 2 @ A4


Date
 1 November 2017

Sheet
 10.02.40









Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Sub-Floor Foundation - Option 5


Scale
 1 : 2 @ A4


Date
 1 November 2017

Sheet
 10.02.44









Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Sub-Floor Foundation - Option 9

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.48



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate



Drawing Name
 Concrete Block Foundation

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.50





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Post Detail

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.02.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner - 45 degrees

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner- Rounded

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.02



Timber Batten to be sized to the FRR rating of the Wall.

E.g 60 minute wall needs a batten 39mm x the cavity depth based on a char value of 0.65mm per minute.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
External Corner GIB Firewall

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.03.03



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Weatherboard - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Weatherboard - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.11



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Weatherboard - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.12



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate


Drawing Name
External Corner with Masonry Block - Option 1

Scale
1 : 2 @ A4


Date
1 November 2017


Sheet
10.03.20





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Fibre Cement Sheet

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
External Corner with Brick Veneer

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.03.40



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Precast Panel

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.50



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
External Corner with Stone Veneer

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.03.60



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Vertical Cedar Weatherboards

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Horizontal Cedar Weatherboards

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.75



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Direct Fixed EIFS

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.80



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner to EIFS on Cavity

Scale
 1 : 2 @ A4

Date
 14 June 2018

Sheet
 10.03.81



Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Graphex Masonry Overlay

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.85



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Profiled Metal Cladding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.90



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Vertical Profiled Cladding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.91



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 External Corner with Aluminium Composite Panel

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.03.95



Mesh to be wrapped continuously around the internal corner, if there is a break in the mesh then an additional layer of Sticky Mesh must be used

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner - 135 degrees

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.01



Mesh to be wrapped continuously around the internal corner, if there is a break in the mesh then an additional layer of Sticky Mesh must be used

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner (Seismic Joint)

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.04.05



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner with Weatherboard - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.04.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Weatherboard - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.11



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Weatherboard - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.12



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Masonry Block

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.20



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner with Fibre Cement Sheet

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.04.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Brick Veneer - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.40



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Brick Veneer - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.41



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Precast Panel

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.50



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with ICF Eco-Block

Scale
 1 : 2 @ A4

Date
 14 June 2018

Sheet
 10.04.55



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner with Stone Veneer

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.04.60



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Vertical Cedar Weatherboards

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Horizontal Cedar Weatherboards

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.75



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner to Existing EIFS

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.80



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner to EIFS on Cavity

Scale
 1 : 2 @ A4

Date
 14 June 2018

Sheet
 10.04.81



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Graphex Masonry Overlay

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.85



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Profile Metal Cladding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.90



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Internal Corner with Aluminium Composite Panel

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.04.95



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner with Vertical Profiled Metal

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.04.96



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the sill flashing to fit.

The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Sill

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.05.00



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the sill flashing to fit.

The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Sill with Moulding

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.05.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Window Sill - 20mm Reveal

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.05.05



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
 TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Timber Window Sill - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017


Sheet
 10.05.10





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Sill Flashing Tape supplied and installed by the main contractor to be run continuously along the sill and 100mm up jambs and 50mm onto the building wrap



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Sill to NK Window

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.05.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Window Face Fixed Jamb and Sill

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.05.50



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the sill flashing to fit.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Sill Commercial Joinery


Scale
1 : 2 @ A4

Date
1 November 2017


Sheet
10.05.55




TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems





7.5
Air Seal by the
main contractor

Cladding line beyond

MS Sealant

Resene Construction
Systems Masonry Render
System

Refer RCS TradeSpec™ Document 1.2
for information on Ground Clearances



Refer RCS
TradeSpec™ Document 1.2 for
information on Ground Clearances

Please note that there is a risk of
damage to this area in normal/high
traffic areas.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene
Construction Systems

CONFIDENTIALITY: No part of this publication may be
reproduced or transmitted other than the intended use by
Resene Construction Systems without written consent from
the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Door Sill in a Foundation Recess - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.05.66



Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the jamb flashing to fit.

The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Jamb


Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.06.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Timber Window Jamb - Option 1


Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.06.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Timber EuroTech Window Jamb

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.06.20



An additional T-Section flashing is required from NK Windows so that the RCS EdgeSeal Flashing can adhere to the joinery

The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Jamb to NK Window

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.06.30



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
 TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Garage Door Jamb - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.06.50



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
 TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Garage Door Jamb - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.06.51



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Garage Door Jamb - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.06.52





Allow a 25mm Gap between the back of the joinery and external facing timber framing to allow the jamb flashing to fit.

The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Internal Corner to Window Jamb - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.06.60



Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Internal Corner to Window Jamb - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.06.61



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Window Jamb midway junction with other cladding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.06.70





The RCS EdgeSealHead Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.00



The RCS EdgeSealHead Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.01



5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head - Option 3

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.02



Metal Head Flashing supplied and installed by main contractor to extend past the line of the aluminium jamb by 10mm and be turned up at the ends by a minimum 20mm, this is an alternative to using a Head Soaker (Refer TradeSpec™ Document 3.2)



5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System

Substrate
Generic Substrate

Drawing Name
Window Head with Flashing Upstands

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.03

Reinforcing Mesh
Resene Construction Systems
Generic System

Generic Substrate
Polystyrene Moulding

Fastener

Drip Edge Flashing

RCS EdgeSeal
Head Flashing

Sill Flashing Tape to corners
supplied and installed by the
main contractor

Vertical Batten supplied and
installed by the applicator

Building Underlay

3M All Weather
Flashing Tape 8067 to
be installed against
jamb batten to form
stopend

3M All Weather
Flashing Tape 8067
from Building Underlay
to Head Flashing.

Air Seal

7.5



The RCS EdgeSealHead Flashing must
be installed so that it extends 10mm
either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene
Construction Systems

CONFIDENTIALITY: No part of this publication may be
reproduced or transmitted other than the intended use by
Resene Construction Systems without written consent from
the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head with Moulding - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.04



The RCS EdgeSealHead Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head with Moulding - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.05



5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Window Head with Timber Moulding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.07.06



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Raking Window Head

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.07



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Raking Window Head Peak

Scale
 1 : 2 @ A4

Date
 14 June 2018

Sheet
 10.07.08



5mm clearance must be maintained between the starter strip and the head flashing



Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Timber Window Head - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.10



5mm clearance must be maintained between the starter strip and the head flashing




Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Timber Window Head - Option 3


Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.12



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



5mm clearance must be maintained between the starter strip and the head flashing



Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatible with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Window Head to NK Window

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.30



The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Garage Door Head - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.50



Metal Head Flashing supplied and installed by main contractor to extend past the line of the aluminium jamb by 10mm and be turned up at the ends by a minimum 20mm, this is an alternative to using a Head Soaker

Head flashing must be taped to the Building Underlay by the main contractor/window installer

5mm clearance must be maintained between the starter strip and the head flashing

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Garage Door Head - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.51



The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Garage Door Head - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.07.52



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Window Head Commercial Joinery

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.07.55



Metal Head Flashing supplied and installed by main contractor to extend past the line of the aluminium jamb by 10mm and be turned up at the ends by a minimum 20mm, this is an alternative to using a Head Soaker



5mm clearance must be maintained between the starter strip and the head flashing

Head flashing must be taped to the Building Underlay by the main contractor/window installer using a tape that is compatable with the Building Underlay

Head Flashing to have a minimum 15° fall

The Head Flashing must be installed so that it extends 10mm either side of the jamb extrusion.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Face Fixed Head

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.60



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Window Head with Weatherboard Above

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.07.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Soffit

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Ventilated Soffit

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Soffit Edge - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.08.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Soffit Edge - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.11



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Soffit Edge - Option 3

Scale
1 : 2 @ A4

Date
14 June 2018

Sheet
10.08.12



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Soffit Edge or Boxed Beam - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.20



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Soffit Edge or Boxed Beam - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.08.21



The RCS EdgeSealHead Flashing holds a patent for its innovative design - Patent # 588193
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate



Drawing Name
Soffit Edge or Boxed Beam - Option 3

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.08.22





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Soffit Edge or Boxed Beam - Option 5

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.24



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Raking Soffit - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Raking Soffit - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.31



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Raking Soffit - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.32



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Face Fixed Fascia - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.08.40



The RCS EdgeSeal Flashing holds a patent for its innovative design - Patent # 582317
TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Face Fixed Fascia - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.08.41



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Face Fixed Fascia - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.42



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Face Fixed Fascia - Option 4

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.43



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Face Fixed Fascia - Option 5

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.44



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Face Fixed Fascia - Option 6


Scale
 1 : 2 @ A4

Date
 14 June 2018

Sheet
 10.08.45



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Face Fixed Fascia - Membrane Roof

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.49



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Fascia Transition Tray - Corner

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.50



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Fascia Transition Tray - In Line

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.51



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Fascia Transition Tray - Corner Isometric

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.52



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Fascia Transition Tray - In Line Isometric

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.08.53



Refer RCS TradeSpec™ Document 1.2 for information on Roof Clearances

Metal flashing must be taped to the Building Underlay or covered with a second layer of wrap by the main contractor/window installer

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Roof Apron

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.09.00



Refer RCS TradeSpec™ Document 1.2 for information on Roof Clearances

Metal flashing must be taped to the Building Underlay by the main contractor/window installer

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Roof Apron - Horizontal

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.09.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Roof Kickout Diverter

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.09.02



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Roof Kickout Diverter with Cover Flashing

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.09.03



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Apron to Raking Barge

Scale
NTS @ A4

Date
1 November 2017

Sheet
10.09.10



Resene Construction Systems
Generic System

Apron Flashing

Stopend

Barge Flashing

Transition Tray

Fascia/Barge

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Raking Apron to Barge - Option 1

Scale
1 : 2 @ A4

Date
14 June 2018

Sheet
10.09.15



Resene Construction Systems
Generic System

Apron Flashing

Stopend

Barge Flashing

Transition Tray

Fascia/Barge

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Raking Apron to Barge - Option 2

Scale
1 : 2 @ A4

Date
14 June 2018

Sheet
10.09.16



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Control Joint - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.00



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Control Joint - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.01



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

Ensure that a horizontal batten is used to form a horizontal fire break between the vertical fire breaks where the wall meets the soffit/fascia/drainage joint

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Control Joint (Fire Break)

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.05



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Weatherboard - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Junction with Weatherboard - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.11



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Metal Cladding

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.20



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Fibre Cement Sheet

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Aluminium Composite Panel

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.35



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Concrete Block - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.40



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Concrete Block - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.41



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Junction with Brick

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.50



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Junction with Precast Panel

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.60



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Stone

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.65



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with LiteRock

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Vertical Junction with Existing EIFS

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.10.80



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Vertical Junction with Vertical Cedar Weatherboards

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.10.90



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4

Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

Continuous cavities must not be limited to two-storeys or 7m in height in accordance with E2/AS1 Paragraph 9.1.9.4.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Control Joint

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.00



Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Control Joint with Moulding

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Mid Floor Break

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.10



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations. Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

Inter-storey drainage joints shall be used for walls over 2 storeys in height. Refer to NZBC E2/AS1 Paragraph 9.1.9.4

Where the wind zone is classed as Extra-High then the flashing cover distances should be extended to a minimum of 60mm

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Horizontal Drainage Joint - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.20



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations. Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

Inter-storey drainage joints shall be used for walls over 2 storeys in height. Refer to NZBC E2/AS1 Paragraph 9.1.9.4

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Drainage Joint - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.21



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor/window installer

Metal Flashing to have a minimum 15° fall

Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations

Continuous cavities must not be limited to two-storeys or 7m in height in accordance with E2/AS1 Paragraph 9.1.9.4.



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Drainage Joint with Moulding

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.22



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations. Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

Inter-storey drainage joints shall be used for walls over 2 storeys in height. Refer to NZBC E2/AS1 Paragraph 9.1.9.4

Where the wind zone is classed as Extra-High then the flashing cover distances should be extended to a minimum of 60mm



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Drainage Joint (Fire Break)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.23



Metal flashing must be taped to the Building Underlay by the main contractor/window installer

Metal Flashing to have a minimum 15° fall

Please note that there should be no fixings into the floor joists, the substrate should be left floating over this point.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Weatherboard Above - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Weatherboard Above - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.31



Metal flashing must be taped to the Building Underlay by the main contractor/window installer

Metal Flashing to have a minimum 15° fall

5mm Clearance to be maintained between metal flashing and Resene Construction Systems Generic System

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Junction with Weatherboard Below

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.32



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate


Drawing Name
 Horizontal Junction with Concrete Block - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.40





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Concrete Block - Option 3

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.43



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Brick - Option 1

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.50



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor/window installer

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Junction with Brick - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.51



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Junction with Stone - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.60



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Stone - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.61



5mm clearance must be maintained between the starter strip and the metal flashing

Metal flashing must be taped to the Building Underlay by the main contractor

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Junction with Precast Panel - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.11.70



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Precast Panel - Option 2

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.71



Metal flashing must be taped to the Building Underlay by the main contractor/window installer

Metal Flashing to have a minimum 15° fall

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Horizontal Junction with Fibre Cement Sheet Above

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.11.80



All Control Joint spacings and setouts are the responsibility of the Designer, for suggested locations refer to RCS TradeSpec™ Document 1.4 for suggested locations

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Horizontal Junction with Vertical Cedar Above

Scale
1 : 2 @ A4

Date
14 June 2018

Sheet
10.11.90



Engineer may need to be consulted to verify the fixing mechanism/bolts can support the intended weight

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Stringer - Block Penetration

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.12.00



Engineer may need to be consulted to verify the fixing mechanism/bolts can support the intended weight

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Louvre Penetration

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.05



The responsibility for the penetration is the responsibility of the main contractor, where possible and practical use a flange.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Meter Box Penetration - Option 1

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.12.10



The responsibility for the penetration is the responsibility of the main contractor, where possible and practical use a flange.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Meter Box Penetration - Option 2

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.12.11



The responsibility for the penetration is the responsibility of the main contractor, where possible and practical use a flange.

It is important that there is adequate support for the penetration in the form of timber packing. The penetration should be angled slightly away from the cladding so any moisture is diverted away from the cladding.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Pipe Penetration

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.20



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Fan Vent

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.21



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Tap Fitting Detail

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.22



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Light Fixing Detail


Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.23



Engineer will need to be consulted to verify the fixing mechanism/bolts can support the intended weight



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Metal Bracket for Beam Penetration

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.30



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Steel Box-Section Penetration

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.35



Moulding can be attached to the wall using Multi-Stop bedding compound, for larger mouldings a batten should be fixed to the wall and the moulding attached over this

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System



Substrate
 Generic Substrate

Drawing Name
 Mid-Wall Moulding (capped)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.40



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Timber Gable Vent

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.12.50



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Rebate

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.12.60



Parapet capping (shown as x)
Refer to NZBC E2/AS1 Table 7,
50mm in Low, Medium, High wind
zones. 70mm in Very High wind
zones. 90mm in Extra High Wind
Zone and above

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Metal Parapet Capping - Option 1

Scale
1 : 2 @ A4


Date
1 November 2017

Sheet
10.13.00



Parapet capping (shown as x) Refer to NZBC E2/AS1 Table 7, 50mm in Low, Medium, High wind zones. 70mm in Very High wind zones. 90mm in Extra High Wind Zone and above

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



Parapets
Resene Construction Systems considers parapets a non-maintainable area. This is defined as an area(s) which are not readily or easily accessible for general maintenance requirements by the property owner.

Enclosed balustrades
Resene Construction Systems considers enclosed balustrades as maintainable areas. This is defined as an area(s) which are readily or easily accessible for general maintenance requirements by the property owner.

A saddle such as the one above cannot be formed within 150m of an opening

Vertical Batten supplied and installed by the applicator positioned 40mm away from internal corner

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Maintainable Balustrade - 3D

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.13.10



Parapets
Resene Construction Systems considers parapets a non-maintainable area. This is defined as an area(s) which are not readily or easily accessible for general maintenance requirements by the property owner.

Enclosed balustrades
Resene Construction Systems considers enclosed balustrades as maintainable areas. This is defined as an area(s) which are readily or easily accessible for general maintenance requirements by the property owner.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Maintainable Balustrade (inline wall) - 3D

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.13.11



Parapets

Resene Construction Systems considers parapets a non-maintainable area. This is defined as an area(s) which are not readily or easily accessible for general maintenance requirements by the property owner.

Enclosed balustrades

Resene Construction Systems considers enclosed balustrades as maintainable areas. This is defined as an area(s) which are readily or easily accessible for general maintenance requirements by the property owner.

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate

Drawing Name
Maintainable Balustrade

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.13.12



Parapets
Resene Construction Systems considers parapets a non-maintainable area. This is defined as an area(s) which are not readily or easily accessible for general maintenance requirements by the property owner.

Contact Resene Construction Systems to see if this detail is applicable for your project

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System





Substrate
Generic Substrate

Drawing Name
Maintainable Parapet





Scale
1 : 2 @ A4

Date
1 November 2017





Sheet
10.13.13



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System





Substrate
 Generic Substrate

Drawing Name
 Saddle Flashing (Inline Wall)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.13.23



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Saddle Flashing (Inline end of adjoining wall)

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.13.24



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System

Substrate
 Generic Substrate


Drawing Name
 Chimney Breast

Scale
 1 : 2 @ A4



Date
 1 November 2017

Sheet
 10.13.30

Metal Flashing Installed as per
Metal Roofing Manufacturer
Code of Practice



Resene Construction
Systems Generic System



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System



Substrate
Generic Substrate

Drawing Name
Roof Detail (Chimney through Roof)

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.13.40



Refer RCS TradeSpec™ Document 1.2 for information on Ground Clearances

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Deck Clearance

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.14.00



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Deck Drainage - Overflow


Scale
 1 : 2 @ A4

Date
 1 November 2017


Sheet
 10.14.01



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



Engineer may need to be consulted to verify the fixing mechanism/bolts can support the intended weight

TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems website

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
Generic System


Substrate
Generic Substrate


Drawing Name
Non-Cantilevered Slatted Deck

Scale
1 : 2 @ A4

Date
1 November 2017

Sheet
10.14.04





TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Enclosed Deck

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.14.06



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System


Substrate
 Generic Substrate

Drawing Name
 Hidden Parallel Gutter


Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.14.10



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems



TradeSpec™ and RenderSpec™ are Registered Trademarks, both Documents are available on the Resene Construction Systems

Resene 
Construction Systems

CONFIDENTIALITY: No part of this publication may be reproduced or transmitted other than the intended use by Resene Construction Systems without written consent from the author.

System
 Generic System

Substrate
 Generic Substrate

Drawing Name
 Hidden Gutter with Tile Roof

Scale
 1 : 2 @ A4

Date
 1 November 2017

Sheet
 10.14.14